COMMERCIAL DATA SHEET

Quadra Sparkling Plus 9 XL & Gooseneck

Billi Quadra Sparkling Plus 9 with XL Levered Dispenser & Gooseneck Mixer

The Quadra Sparkling Plus 9 is the ultimate choice in modern design and filtered drinking water appliances, delivering instant boiling and chilled filtered water, with the added luxury of sparkling water. PLUS a separate sink mixer to ensure safety and convenience for all users.

Requiring only cold feed mains supply, the Quadra Plus mixes it's own hot water without the need for any additional under-bench space requirements or boosters.

All our Quadra Plus boiling and chilled range incorporates Billi's core design principles - standing out for its use of innovative energy reclaim technology. Not only does the system save space and energy, but it also eliminates the need for joinery ventilation to transfer waste heat. This technology is backed by the Global Green Tag accreditation.

Supplied as standard with our XL lever dispenser and round gooseneck mixer tap.

ENERGY EFFICIENT

SAFE TO OPERATE

XL Levered Dispenser

SPACE SAVING

DESIGN

Gooseneck Mixer

Quadra Plus Sparkling Under-Bench Unit

Billi Features

HEAT

EXCHANGE

TECHNOLOGY

Billi

PRODUCT SPECIFICATIONS

WATER COOLED

TECHNOLOGY

NO CUPBOARD VENTILATION

REQUIRED

AUSTRALIAN

DESIGNED &

MADE

INSTALLATION

| Water type | | Product code | Model name | Dispenser | Suggested no. of people | 50° hot water capacity litres (initial drawdown) | 50° hot water delivery litres per hour | Boiling water delivery per hour)* | Chilled & Sparkling water delivery per hour) | Power supply (amps) |
|-----------------|---------|-----------------|-------------------------------|------------|-------------------------------|--|--|---|--|---------------------------|
| BOILING PLUS | CHILLED | 906065LGUK | Quadra Sparkling Plus 9 | XL Levered | Up to 60 | 9 | 60 | 180 | 200 | 2 x13 |

Based on a set volume of water being drawn every 30 seconds at an inlet temperature of average temperature 21°C. Each cup is equivalent to 170ml. Usage patterns and draw-off methods can impact recovery.








Accessories






990714 - Tubing Extension Kit for Plus unit - 1.8mtrs

Finishes




TECHNICAL DRAWINGS

PRODUCT DIMENSIONS



INSTALLATION REQUIREMENTS

PREFERRED INSTALLATION LAYOUT



WATER SUPPLY

An accessible drinking water supply from a 15mm pipe with a minimum pressure of 4 bar static and 10 litres a minute flow should be located in the base unit of the installation location.

POWER SUPPLY

A 2 x13 amp double switched socket must be positioned at a high level and accessible within the cupboard. The unit comes with a 1 meter flex cord and plug.

WASTE REQUIREMENTS

A 32mm/40mm mains waste pipe is required within the base unit. This pipe should include a trap or u-bend to prevent any unpleasant odours. If there is a spigot waste connection, two spigots are required to connect to the waste and condenser line.

WARRANTY

The Billi Quadra Plus Range is covered by a comprehensive 2 year warranty on all parts and labour.

FILTRATION

Billi's range of premium filters utilise BWT's unique Fibron X technology which provide superior taste, water quality, consistent filter life and peace of mind on the topic of hygiene.

Supplied: 994051 (5 micron) On request: 994032 (recommended iX02 limescale filter)

CERTIFICATIONS & COMPLIANCE*

Every Billi drinking water appliance is manufactured under a certified quality control system. All Billi commercial range models have been tested and comply with all required standards including: ISO 9001:2015, QEC 11627; WRAS certified; WELL Cornerstone Member; BREAMM compliant; LEED compliant; Global Greentag Certified.

* Drawings are for guidance during specification, refer to Installation requirements for final install. All efforts are made to ensure Certifications & Compliance claims are current, however this is subject to change without notice.



Billi UK Limited University Of Wolverhampton Science Park, Technology Centre, Glaisher Drive, Wolverhampton, WV10 9RU

P 020 7456 6789
E marketing@billi-uk.com
W www.billi-uk.com



BilliTM is a trademark of Billi Australia Pty Ltd. All rights reserved. © Copyright protected. As Billi Australia Pty Ltd has a policy of continual improvement, all details are subject to change without notice. All goods are sold subject to our published terms and conditions.